



EGESİL KİMYA A.Ş.

HEADQUARTERS

Cendere Yolu No. 16-18

Kağıthane 80350

İSTANBUL / TÜRKİYE

Tel : (0-212) 294 65 67 -74

Fax : (0-212) 294 52 98

e-posta/e-mail : info@egekimya.com

FACTORY

Aşağı Kirazca Mevkii, Nehirkent

ADAPAZARI / TÜRKİYE

Tel : (0-264) 229 32 00 - 09

Fax : (0-264) 229 38 54 -55



TS-EN-ISO-9001

EGESİL EA 37

PRODUCT DATA

Properties :

Semi-reinforcing precipitated sodium aluminium silicate.

Physical and chemical properties :

	(Typical values)
Appearance	white - powder
Surface Area, (m ² /g)	85
Volatiles at, (%105 °C)	5
Ph Value (%5 in water)	10.5

Application fields are :

Rubber industry.

Packaging :

Kraft bag
(11 kg, 25 kg)

Expiry data :

One year from production date.

APPLICATION :

Can be used for semi-reinforcing rubber applications where flexible products needed. The shore hardness is lower as well as elongation at break is higher.

SAFETY DATA

CAS No : 1344-00-9

Hazard Identification :

None known.

Description of dangers:

On the basis of information available to us, this product is not a hazardous substance in the sense of the law on chemicals or the regulations on the hazardous substances in the version which is currently valid.

Handling and Storage :

-Direction for safe handling :

Local ventilation if necessary.

-Directions on fire and explosion safety :

Take precautionary measures against static discharges.

-Storage:

Store in a dry place.

Transport Information :

Dangerous according to the transport regulations:

GGVS/GGVE/RID/ADR/IMDG Code/ ICAO - TI no

is at the user's sole risk and discretion. Egesil Kimya as will not accept any responsibility.

